

INFORMATION ON TREATMENT FOR PELVIC FLOOR DYSFUNCTION AND BLADDER / BOWEL PROBLEMS

IMPORTANT – READ IMMEDIATELY

| Your first appointment will take 45 to 90 | minutes so plan your time appropriately. Please arrive at |
|---|---|
| least 15 minutes early to complete necess | ary paperwork. |
| Your appointment is scheduled for | a.m. /p.m. on |
| Enclosed please find: | |

1. HISTORY AND SCREENING QUESTIONNAIRES

All these forms must be completed prior to your first appointment.

- Incomplete information may delay insurance processing and authorization for subsequent treatment.
- Prior to your first appointment we recommend you check with your insurance company regarding coverage for treatment.


The office evaluation/treatment of your condition may include:

- Review of your history.
- Measurement of your pelvic floor muscle function with biofeedback equipment. These instruments record your muscle activity and help evaluate and treat your pelvic floor muscles.
- Musculoskeletal and pelvic floor muscle exam.
- Exercise instruction for pelvic floor and other muscle groups as indicated.

Return visits for therapy will be scheduled at regular intervals to measure your progress and modify your exercise program as needed. These appointments are important in order to progress your treatment program.

Please feel free to invite someone to accompany you to your appointments if doing so will make you feel more comfortable.

If you have any questions, please telephone 916-355-8500.



<u>Informed consent for treatment:</u>

The term "informed consent" means that the potential risks, benefits, and alternatives of therapy evaluation and treatment have been explained to you. The therapist provides a wide range of services and I understand that I will receive information at the initial visit concerning the evaluation, treatment and options available for my condition.

I also acknowledge and understand that I have been referred for evaluation and treatment of pelvic floor dysfunction. Pelvic floor dysfunctions include, but are not limited to, urinary or fecal incontinence, difficulty with bowel, bladder or sexual functions, painful scars after surgery, persistent sacroiliac or low back pain, or pelvic pain conditions.

I understand that to evaluate my condition it may be necessary, initially and periodically, to have my therapist perform an internal pelvic floor muscle examination. This examination is performed by observing and/or palpating the perineal region including the vagina and/or rectum. This evaluation will assess skin condition, reflexes, muscle tone, length, strength and endurance, scar mobility and function of the pelvic floor region. Such evaluation may include vaginal or rectal sensors for muscle biofeedback.

Treatment may include, but not be limited to the following: observation, palpation, vaginal or rectal sensors for biofeedback and/or electrical stimulation, ultrasound, heat, cold, stretching and strengthening exercises, soft tissue and/or joint mobilization and educational instruction.

Potential risks: I may experience an increase in my current level of pain or discomfort, or an aggravation of my existing injury. This discomfort is usually temporary; if it does not subside in 1-3 days, I agree to contact my therapist.

Potential benefits: may include an improvement in my symptoms and an increase in my ability to perform my daily activities. I may experience increased strength, awareness, flexibility and endurance in my movements. I may experience decreased pain and discomfort. I should gain a greater knowledge about managing my condition and the resources available to me.

Alternatives: If I do not wish to participate in the therapy program, I will discuss my medical, surgical or pharmacological alternatives with my physician or primary care provider.

Release of medical records: I authorize the release of my medical records to my physicians/primary care provider and/or insurance company.

Cooperation with treatment: I understand that in order for therapy to be effective, I must come as scheduled unless there are unusual circumstances that prevent me from attending therapy. I agree to cooperate with and carry out the home program assigned to me. If I have difficulty with any part of my treatment program, I will discuss it with my therapist.

No warranty: I understand that the physical therapist cannot make any promises or guarantees regarding a cure for or improvement in my condition. I understand that my therapist will share with me her opinions regarding potential results of physical therapy treatment for my condition and will discuss all treatment options with me before I consent to treatment.

I have informed my therapist of any condition that would limit my ability to have and evaluation or to be treated. I hereby request and consent to the evaluation and treatment to be provided by the therapist of Folsom Physical Therapy.

| Patient/Guardian Name (Please Print): | Date: |
|---------------------------------------|-------|
| | |
| | |
| Patient/Guardian Signature: | |



My diagnosis, evaluation findings including the treatment program, the expected benefits or goals of treatment, and reasonable alternatives to the recommended treatment program, has all been explained to me. My questions about my care have been answered to my understanding and satisfaction.

I consent to the recommended course of treatment.

For optimum care and progress:

- It is important to keep your regularly scheduled therapy appointment. At those visits we can advance your exercise routine.
- Please avoid practicing your pelvic floor exercises just before your next appointment time.
- Bring your exercise sheets, voiding log and biofeedback internal sensors as appropriate to each
 office visit.

| Patient Name (Please Print): | Date: |
|-------------------------------|-------|
| (Patient/Guardian) Signature: | |
| Therapist Signature: | |



FOLSOM PHYSICAL THERAPY

and Training Center PELVIC FLOOR PATIENT HISTORY


| 1. | Describe the cur | rent problem that brought you l | here? | | | | | |
|----------|--|------------------------------------|-------------------------------------|----------------------------|-------------------------|-----|--|--|
| 2. | When did your problem first begin? Months ago or years ago. | | | | | | | |
| 3. | 3. Was your first episode of the problem related to a specific incident? Yes/No (Describe) | | | | | | | |
| 4. | 4. Since that time is it: staying the same getting worse getting better? Why or how? | | | | | | | |
| 5. | | | | | | | | |
| | burning, intermittent ache) | | | | | | | |
| 6. | . Describe previous treatment/exercises | | | | | | | |
| 7. | Activities/events | s that cause or aggravate your s | ymptoms. Check | c/circle all tha | at apply | | | |
| | Sitting grea | ter than minutes | - | With cou | gh/sneeze/straining | | | |
| | Walking gre | eater than minutes | - | With laug | ghing/yelling | | | |
| | Standing gr | eater than minutes | - | With lifti | ng/bending | | | |
| | Changing p | ositions (i.e sit to stand) | With cold weather | | | | | |
| | Light activi | ty (light housework) | With triggers -running water/key in | | | | | |
| | Vigorous ac | tivity/exercise (run/weight lift/ | jump) _ | With ner | vousness/anxiety | | | |
| | Sexual activ | rity | | No activ | ity affects the problem | | | |
| | Other, | | | | | | | |
| 8. | What relieves yo | our symptoms? | | | | | | |
| 9. | | festyle/quality of life been alter | | | | | | |
| | Social activities (exclude physical activities), specify | | | | | | | |
| | Diet /Fluid intake, specify | | Physical a | Physical activity, specify | | | | |
| | Work, specify | | Other | Other | | | | |
| 10. | Rate the severity | of this problem from 0 -10 wi | th 0 being no pro | oblem and 10 | being the worst | | | |
| 11. | What are your tr | reatment goals/concerns? | | | | | | |
| Since th | he onset of your | current symptoms have you h | ad: | | | | | |
| Y/N Fe | ver/Chills | Y/N Malaise (Unexplained ti | redness) | Y/N | Unexplained weight char | ıge | | |
| Y/N Mı | uscle weakness | Y/N Dizziness or fainting | | | Night pain/sweats | - | | |
| Y/N Ch | ange in bowel or | hladder functions Y/N Numb | ness / Tingling | | Other | | | |

Pg 2 History

| <u>Health History</u> : Date of Last Physical E | xam Tes | Tests performed | | | | |
|--|--|--|--|--|--|--|
| General Health: Excellent Good A Hours/week on disabilit Mental Health: Current level of stress: Activity/Exercise: None 1-2 days/wee Describe: | y or leave? Activity High Med Low Current Psycek 3-4 days/week 5+ days/weel | Restrictions? ch Therapy? Y/N | | | | |
| Have you ever had any of the following Cancer Heart problems High Blood Pressure Ankle swelling Anemia Low back pain Sacroiliac/Tailbone pain Alcoholism/Drug problem Childhood bladder problems Depression Rheumatoid Arthritis Anorexia/bulimia Smoking history Vision/eye problems Hearing loss/problems Other/Describe | Stroke Epilepsy/seizures Multiple sclerosis Head Injury Osteoporosis Chronic Fatigue Syndrome Fibromyalgia Arthritic conditions Stress fracture Hepatitis Joint Replacement Bone Fracture Sports Injuries TMJ/ neck pain | Emphysema/chronic bronchitis Asthma Allergies-list below Latex sensitivity Hypothyroid/ Hyperthyroid Headaches Diabetes Kidney disease Irritable Bowel Syndrome HIV/AIDS Sexually transmitted disease Physical or Sexual abuse Raynaud's (cold hands and feet) Pelvic pain | | | | |
| Surgical /Procedure History Y/N Surgery for your back/spine Y/N Surgery for your brain Y/N Surgery for your male organs Other/describe | Y/N Surgery Y/N Surgery | for your bladder/prostate for your bones/joints for your abdominal organs | | | | |
| Ob/Gyn History (females only) Y/N Childbirth vaginal deliveries # Y/N Episiotomy # Y/N C-Section # Y/N Difficult childbirth # Y/N Prolapse or organ falling out Y/N Other /describe | Y/N Painful _I Y/N Menopa | periods use - when? vaginal penetration | | | | |
| Males only Y/N Prostate disorders Y/N Shy bladder Y/N Pelvic pain Y/N Other /describe | Y/N Erectile Y/N Painful e | | | | | |
| Medications - pills, injection, patch | Start date | Reason for taking | | | | |
| Over the counter -vitamins etc. | Start date | Reason for taking | | | | |
| | | | | | | |

Page 3 Symptoms

| Bladder / Bowel Habits / Problems | |
|--|--|
| Y/N Trouble initiating urine stream | Y/N Blood in urine |
| Y/N Urinary intermittent /slow stream | Y/N Painful urination |
| Y/N Trouble emptying bladder | Y/N Trouble feeling bladder urge/fullness |
| Y/N Difficulty stopping the urine stream | Y/N Current laxative use |
| Y/N Trouble emptying bladder completely | Y/N Trouble feeling bowel/urge/fullness |
| Y/N Straining or pushing to empty bladder | Y/N Constipation/straining |
| Y/N Dribbling after urination | Y/N Trouble holding back gas/feces |
| Y/N Constant urine leakage | Y/N Recurrent bladder infections |
| Y/N Other/describe | |
| Frequency of urination: awake hour's times per decomposition. When you have a normal urge to urinate, how long can see minutes, hours, not at all The usual amount of urine passed is:small median | you delay before you have to go to the toilet? ium large. |
| 4. Frequency of bowel movementstimes per day, | times per week, or |
| 5. When you have an urge to have a bowel movement, howminutes,hours,not at all. 6. If constipation is present describe management technique | v long can you delay before you have to go to the toilet? |
| 7. Average fluid intake (one glass is 8 oz or one cup) | glasses per day. |
| Of this total how many glasses are caffeinated? | glasses per day. |
| 8. Rate a feeling of organ "falling out" / prolapse or pelvicNone present | heaviness/pressure: |
| Times per month (specify if related to activity or your | period) |
| With standing for minutes or hours. | period) |
| With standing for influtes of hoursWith exertion or straining | |
| Other | |
| | |
| Skip questions if no leakage/incontinence | |
| 9a. Bladder leakage - number of episodes | 9b. Bowel leakage - number of episodes |
| No leakage | No leakage |
| Times per day | Times per day |
| Times per week | Times per week |
| Times per month | Times per month |
| Only with physical exertion/cough | Only with exertion/strong urge |
| 10a. On average, how much urine do you leak? | 10b. How much stool do you lose? |
| No leakage | No leakage |
| Just a few drops | Stool staining |
| Wets underwear | Small amount in underwear |
| Wets outerwear | Complete emptying |
| Wets the floor | |
| 11. What form of protection do you wear? (Please comple | te only one) |
| None | 11.\ |
| Minimal protection (Tissue paper/paper towel/pant ship | elds) |
| Moderate protection (absorbent product, maxi pad) | |
| Maximum protection (Specialty product/diaper) | |
| Other | |
| On average, how many pad/protection changes are require | d in 24 hours?# of pads |



| 1. | Do you urinate more than every two hours in the daytime? | | | | | | | | | Y / N | |
|-----|--|---|---|---|---|---|--------|---------|----------|-------|--|
| 2. | Do you urinate more than once after going to bed? | | | | | | | | Y/N | | |
| 3. | Do you have trouble making it to the toilet on time when you have an urge to go? | | | | | | | | Y / N | | |
| 4. | Do you strain to pass urine? | | | | | | | | Y / N | | |
| 5. | Do you rush to go to the toilet to empty your bladder? | | | | | | | | | Y / N | |
| 6. | . Are you unable to stop the flow of urine when on the toilet? | | | | | | | | Y / N | | |
| 7. | Do you have an urge to go but when you get to the toilet very little urine comes out? | | | | | | | | out? | Y / N | |
| 8. | Do you lack the feeling that you need to go to the toilet? | | | | | | | | Y / N | | |
| 9. | . Do you empty your bladder frequently, before you experience the urge to pass urine? | | | | | | | | Y / N | | |
| 10. | 0. Do you have the feeling your bladder is still full after urinating? | | | | | | | | Y/N | | |
| 11. | 1. Do you experience slow or hesitant urinary stream? | | | | | | | Y/N | | | |
| 12. | 2. Do you have difficulty initiating the urine stream? | | | | | | | Y / N | | | |
| 13. | 3. Do you have "triggers" that make you feel like you can't wait to go to the toilet? (running water, key in the door) | | | | | | Y / N | | | | |
| | Rate the followard bladder is con | | | | | | 10 = c | omplete | ely true | | |
| | 0 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | |

If you answer yes to any of these questions you could benefit from conservative treatment for your bladder. Talk to your health care provider for a referral.